

03 10 07 04:39p

Paul Biron, ing.

418-833-2248

P.2

03 10 07 04:13p

Paul Biron, ing.

418-833-2248

P.2

RECEIVED

CENTRAL FAX CENTER

OCT 03 2007

Appl. No. 10/652,651

Applicants: Brouard, Marcel and Perron, Raymond

Art Unit: 1771

Examiner: Elizabeth M. Cole

In The United States Patent and Trademark Office

CERTIFICATE OF MAILING [37 CFR 1-8 (a)]

I hereby certify this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, BOX 1450 Alexandria, VA 22313/1450 or transmitted by facsimile on the date shown below to the United States Patent and Trademark Office at 571-273-8300.

10/03/2007

Marcel Brouard, Inventor

Date

In matter of:

Serial Number : 10/652,651
Applicant : Marcel Brouard
Appl. Filed : 09/02/2003
Appl. Title : Shear and water resistant felt pad for furniture legs
Examiner : Elizabeth Cole
Group Art Unit : 1771

Quebec City, Wednesday, October 03, 2007

Commissioner for Patents

P.O. BOX 1450

Alexandria, VA

22313-1450

DECLARATION

I, Marcel Brouard, inventor,

declare that I have carried out a number of tests, in order to replicate a typical usage of Felt pads under a chair in a domestic environment, of Felt pads compressed against Velcro pads. The Velcro pads being of two types, namely with J-shaped hooks and with mushroom shaped hooks. The Felt pads being of our manufacture and being centrally impregnated with latex. The results of the tests made possible comparing on the one hand the shear resistance of the tested pads combined with J-shaped hook Velcro pads and on the other hand, the

U.S. PATENT AND TRADEMARK OFFICE, 400 M STREET, N.W., WASHINGTON, D.C. 20540-5000
TELEPHONE: (202) 346-3400 FAX: (202) 346-3401
WWW.USPTO.GOV

1

03 10 07 04:40p
10/07/2007 10:24

Paul Biron, ing.
MARCEL BROUARD, US2007012248

418-833-2248

p.5

03 10 07 04:14p

Paul Biron, ing.

418-833-2248

p.5

Appl. No. 10/652,651

Applicants: Brouard, Marcel and Perron, Raymond

Art Unit: 1771


Examiner: Elizabeth M. Cole

1) Height of hooks: The mushroom type hooks (40) measure 0.025" in height (compared to 0.035" in height for the 'J' type hooks (58). It is critical to have the shortest hooks possible in order to avoid the 'bending' of the hooks under shear stress, which diminishes considerably the resistance to such stress (as demonstrated in the TEST RESULTS sent separately in a DVD by UPS).

Diameter of hooks: The mushroom type hooks measure 0.0075" in diameter (the same as for 'J' hooks). Having the same diameter hooks with a shorter height, which is the case for the mushroom type hooks increases the resistance to shear stress (as demonstrated in the TEST RESULTS sent separately in a DVD by UPS).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the Application, any patent issuing thereon, or any patent to which this verified statement is directed.

Signed,



Marcel Brouard

C/o Paul Biron

P.O. Box 0732, Jackman, ME 04945-0732

Tel: 1-888-637-0553

~~ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 11/15/2011 BY 60322/UCBAW/ELIZABETH COLE~~
~~ADDITIONAL INFORMATION IS CONTAINED IN THE ATTACHED DOCUMENTS~~